New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2003 Cape May County Residents

1.	Current HIV/AIDS Category	Cases			Pediat Cases	용			Tota ases	용	
	AIDS-Any OI AIDS-CD4 Only HIV Only	 # 73 #	# 39 #		# O #	 ‡ (‡	‡) ‡		38 73 79	20 31 42	0 8 2
	Total	189	100		#			-	190	10	
2.	Current Age * Cases %		[/] Eth.			/Adl* s %		%	Tota Cases	용	
	<pre><5 0 0 5-12 # # 13-19 # # 20-29 9 5 30-39 48 25</pre>	White Black Hispa Other	e, Not Hisp k, Not Hisp	oanic oanic	113 # 26	60 # 14 #	O #	O # O #	113 # 26	59 # 14 #	
	40-49 98 52 50+ 33 17 Unk. 0 0 Total 190 100	Total				100			190		
4.	Patient Group				dolescer			ion M			
			Males			Female	es %		Tota		%
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		33 54 6 9 17	45 5 8		29 (29	0 0 9 43 0 0 9 43 0 15		{ 2	33 33 6 38 27	18 44 3 20 14
	Total		119				3 100		18	 37	100
			Males	%	diatric	Female		n Mod	es Tota		0/0
	Parent at risk/has AIDS/HIV Risk not reported/other***		# #	##		‡	‡ # ‡ #			# #	# #
	Total		#	#		+				#	#

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of December 2003.
- ** 2 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- $\ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Cape May County Residents

Adult/Adolescent*

1.	Disease Ca	tegory	Ca	ses (%)	Deaths (%)	Cases	(%)	Deaths	; (%)	Cases (응)	Deaths (%)
	PCP Other OI w KS Alone No Disease			# (#) # (#) # (#) 106 (45)	# (#) # (#) # (#) 33 (33)	# # 0 0	(#)	# # 0 0	(#)	57 (# (# (106 (#) #)	44 (79) # (#) # (#) 33 (33)
	Total			238 (100)	128 (55)	#	(#)	#	(#)	240 (1	.00)	129 (55)
2.	Age *	Cases	%	3. Race	Eth.	Adult/Ad Cases %	l*	Pediatri Cases	.C* %	Total Cases	엉	
	Under 5	#	#	White	e, Not Hispanic	153	 64	0	0	153	64	
	5-12	0	0	Black	, Not Hispanic	#	#	#	#	64	27	
	13-19	#	#	Hispa	anic	22	9	0	0	22	9	
	20-29	35	15	Other	:/Unknown	#	#	#	#	#	#	
	30-39	114	48									
	40-49	65	27	Total	L	238 1	0.0	#	#	240	100	
	Over 49	21	9									
	Unknown	0	0									

Pediatric*

Total

4. Patient Gro	oup
----------------	-----

Total

240 100

Patient Group	Adult/Adolescent Transmission Modes **									
	Males	응	Females	용	Total	용				
Men sex with men (MSM)	60	33	0	0	60	25				
Injection drug user (IDU)	83	46	31	56	114	48				
MSM/IDU	7	4	0	0	7	3				
Heterosexual contact	6	3	17	31	23	10				
Risk not reported/other***	25	14	7	13	32	14				
Total	181	100	55	100	236	100				

	Pediatric Transmission Modes					
	Males	용	Females	용	Total	용
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	#	#	#	#	#	#
Total	#	#	#	#	#	#

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Classification at time of AIDS diagnosis.

^{** 2} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Cape May County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Cases	Number of Deaths	Case-Fatality Rate
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	#	#	#
1988	7	7	100%
1989	13	11	85%
1990	15	11	73%
1991	10	7	70%
1992	21	15	71%
1993	22	14	64%
1994	21	16	76%
1995	34	16	47%
1996	18	9	50%
1997	15	#	#
1998	16	6	38%
1999	13	6	46%
2000	13	#	#
2001	9	0	0%
2002	#	#	#
2003	#	#	#
Total	240	129	54%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003 Cape May County Residents

1. Age *	Cases	90	2. Race/Ethnicity	Adult/A Cases	Adl* ક	Pediat Cases	ric* %	Total Cases	%
Under 5	#	#	White, Not Hispanic	53	59	0	0	53	59
5-12	0	0	Black, Not Hispanic	#	#	#	#	23	26
13-19	6	7	Hispanic	#	#	#	#	15	17
20-29	17	19	Other/Unknown	0	0	0	0	0	0
30-39	43	47							
40-49	16	18	Total	90	100	#	#	91	100
Over 49	7	8							
Unknown	#	#							
Total	91	100							

Patient Group	Adult/Adolescent Transmission Modes **									
-	Males	용	Females %	Total	용					
Men sex with men (MSM)	16	28	0 0	16	18					
Injection drug user (IDU)	27	47	8 25	35	39					
MSM/IDU	#	#	0 0	#	#					
Heterosexual contact	6	10	18 56	24	27					
Risk not reported/other***	#	#	# #	#	#					
Total	58	100	32 100	90	100					
		Pedia	tric Transmission M	lodes						
	Males	%	Females %	Total	용					
Parent at risk/has AIDS/HIV			# #	#	#					
Risk not reported/other***	0		# #	#	#					
Total			# #	 #	#					

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Cape May County Residents

1.	Current HI	V/AIDS Ca			Adult/Adol Cases	8	Pe Cas	ses		%			Total ses	용	
	AIDS-Any O AIDS-CD4 O HIV Only	oI Only			 # 106 #	33 #		1 (_ # O #	# 0 #		1 1	.34 .06	40 32 27	
	Total				326				5	100			331	100	
2.	Age *			3.			Adult/ Cases		%	Ca	ses	%		Cases	
	Under 5 5-12 13-19 20-29 30-39 40-49	#	# # 2 21 48			t Hispanic t Hispanic nown		‡ † 7 ‡	# # 11 #		0 #	 # 0 # 100		206 87 37 # 	26 11 #
	Over 49 Unknown Total	27 # 	#												
4.	Patient Gr					Males		es	F	emales	용		Total		
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	drug user	ISM) : (IDU) :t other***			12 31	32 46 4 5			39 0 35 13	0 45 0 40 15		149 10 47	23 46 3 14 13	
	Total					239	100			87			326		
						Males		r	F	emales	%		Total		
	Parent at Risk not r		AIDS/HI			 # #	# #				# #		#	#	

5 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

Total

- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- $\star\star\star$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Cape May County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	7	5	71%
1988	13	11	85%
1989	20	15	75%
1990	18	11	61%
1991	26	13	50%
1992	36	18	50%
1993	29	10	34%
1994	23	10	43%
1995	38	18	47%
1996	30	8	27%
1997	18	#	#
1998	14	#	#
1999	16	5	31%
2000	16	#	#
2001	10	#	#
2002	#	#	#
2003	#	#	#
Unknown	#	#	#
Total	331	141	43%